



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 2 of 15

P337+P313 If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.
Contains 5 - < 10 % of components with unknown hazards to the aquatic environment.
Restricted to professional users.

2.3. Other hazards

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine			5 - < 10 %
	203-312-7			
	Eye Irrit. 2; H319			
10043-35-3	boric acid			2.5 - < 5 %
	233-139-2		01-2119486683-25	
	Repr. 1B; H360FD			
68608-26-4	Sulfonic acids, petroleum, sodium salts			2.5 - < 5 %
	271-781-5		01-2119527859-22	
	Eye Irrit. 2; H319			
141-43-5	2-aminoethanol; ethanolamine			1 - < 2.5 %
	205-483-3	603-030-00-8	01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B; H332 H312 H302 H314			
173832-45-6	Fatty acids, C18-unsatd., trimers, mixed esters with 2-ethyl-1-hexanol and polyethylene glycol mono-Me ether			1 - < 2.5 %
	682-908-2			
	Aquatic Chronic 3; H412			
3811-73-2	pyridine-2-thiol 1-oxide, sodium salt			0.1 - < 1 %
	223-296-5		01-2119493385-28	
	Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H311 H332 H302 H315 H319 H400 H410			

Full text of H and EUH statements: see section 16.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 3 of 15

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
105-59-9	203-312-7	2,2'-(methylimino)diethanol; N-methyldiethanolamine	5 - < 10 %
		oral: LD50 = > 4000 mg/kg	
10043-35-3	233-139-2	boric acid	2.5 - < 5 %
		Repr. 1B; H360FD: >= 0,3 - 100	
68608-26-4	271-781-5	Sulfonic acids, petroleum, sodium salts	2.5 - < 5 %
		dermal: LD50 = > 5001 mg/kg; oral: LD50 = > 5001 mg/kg	
141-43-5	205-483-3	2-aminoethanol; ethanolamine	1 - < 2.5 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 2504 mg/kg; oral: LD50 = 1098 mg/kg STOT SE 3; H335: >= 5 - 100	
3811-73-2	223-296-5	pyridine-2-thiol 1-oxide, sodium salt	0.1 - < 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = 1,25 mg/l (dusts or mists); dermal: LD50 = 1800-1900 mg/kg; oral: LD50 = 1208 mg/kg Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=10	

Further Information

Concentration of boric acid: < 5%

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Call a doctor if you feel unwell.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of troubles or persistent symptoms, consult an ophthalmologist.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry extinguishing powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Nitrogen oxides (NO_x).

Carbon monoxide

Carbon dioxide (CO₂).

5.3. Advice for firefighters

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 4 of 15

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

See protective measures under point 7 and 8.

High slip hazard because of leaking or spilled product. Do not breathe mist/vapours/spray. Provide adequate ventilation.

For non-emergency personnel

Take off immediately all contaminated clothing and wash it before reuse.

For emergency responders

The danger areas must be delimited and identified using relevant warning and safety signs. Move victim out of danger zone.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Section 7: Handling and Storage

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas.

When using do not eat, drink or smoke.

Further information on handling

When using do not eat, drink or smoke.

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 5-40 °C

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Maximum period of storage (time): 1 year

7.3. Specific end use(s)

Observe technical data sheet.

Metal working fluids

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 5 of 15

8.1. Control parameters**Occupational exposure limits**

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	
10043-35-3	Borate compounds inorganic: boric acid	-	2		TWA (8 h)	
108-31-6	Maleic anhydride (Inhalable Fraction and Vapour)	0.01	-		TWA (8 h)	
102-71-6	Triethanolamine	-	5		TWA (8 h)	

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 6 of 15

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
102-71-6	Triethanolamin			
Worker DNEL, long-term		inhalation	local	1 mg/m ³
Worker DNEL, long-term		dermal	systemic	7,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	0,4 mg/m ³
Consumer DNEL, long-term		dermal	local	2,66 mg/person/day
Consumer DNEL, long-term		oral	systemic	3,3 mg/kg bw/day
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine			
Worker DNEL, long-term		inhalation	systemic	7,9 mg/m ³
Worker DNEL, long-term		dermal	systemic	5,6 mg/kg bw/day
Worker DNEL, long-term		dermal	local	0,05 mg/cm ²
Consumer DNEL, long-term		inhalation	systemic	0,4 mg/m ³
Consumer DNEL, long-term		dermal	systemic	0,67 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	0,03 mg/cm ²
Consumer DNEL, long-term		oral	systemic	0,13 mg/kg bw/day
68608-26-4	Sulfonic acids, petroleum, sodium salts			
Worker DNEL, long-term		inhalation	systemic	0,66 mg/m ³
Worker DNEL, long-term		dermal	systemic	3,33 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,33 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1667 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,833 mg/kg bw/day
141-43-5	2-aminoethanol; ethanolamine			
Worker DNEL, long-term		inhalation	systemic	1 mg/m ³
Worker DNEL, long-term		inhalation	local	0,51 mg/m ³
Worker DNEL, long-term		dermal	systemic	3 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,18 mg/m ³
Consumer DNEL, long-term		inhalation	local	0,28 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1,5 mg/kg bw/day
108-31-6	maleic anhydride			
Worker DNEL, long-term		inhalation	systemic	0,081 mg/m ³
Worker DNEL, acute		inhalation	systemic	0,2 mg/m ³
Worker DNEL, long-term		inhalation	local	0,081 mg/m ³
Worker DNEL, acute		inhalation	local	0,2 mg/m ³



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 7 of 15

PNEC values

CAS No	Substance	Value
Environmental compartment		
102-71-6	Triethanolamin	
Freshwater		0,32 mg/l
Marine water		0,32 mg/l
Freshwater sediment		1,7 mg/kg
Marine sediment		0,17 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,151 mg/kg
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine	
Freshwater		0,1 mg/l
Marine water		0,004 mg/l
Freshwater sediment		0,78 mg/kg
Marine sediment		0,035 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,097 mg/kg
68608-26-4	Sulfonic acids, petroleum, sodium salts	
Freshwater		1 mg/l
Marine water		1 mg/l
Freshwater sediment		723500000 mg/kg
Marine sediment		723500000 mg/kg
Secondary poisoning		16667 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		868700000 mg/kg
141-43-5	2-aminoethanol; ethanolamine	
Freshwater		0,07 mg/l
Marine water		0,007 mg/l
Freshwater sediment		0,375 mg/kg
Marine sediment		0,036 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		1,29 mg/kg
108-31-6	maleic anhydride	
Freshwater		0,038 mg/l
Marine water		0,004 mg/l
Freshwater sediment		0,296 mg/kg
Marine sediment		0,0296 mg/kg
Micro-organisms in sewage treatment plants (STP)		44,6 mg/l
Soil		0,037 mg/kg

8.2. Exposure controls

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 8 of 15



Individual protection measures, such as personal protective equipment

Eye/face protection

EN 166

Hand protection

Protect skin by using skin protective cream.
Wash hands before breaks and after work.

Skin protection

Chemical resistant safety shoes. Wear protective gloves/protective clothing and eye/face protection.
Take off immediately all contaminated clothing.
Thorough skin-cleansing after handling the product.
Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Thermal hazards

Remove all sources of ignition.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	amber coloured
Odour:	characteristic

	Test method
Boiling point or initial boiling point and boiling range:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	165 °C DIN 51755
Auto-ignition temperature:	not determined
pH-Value (at 20 °C):	9,5 DIN 51369
Viscosity / kinematic: (at 20 °C)	50-80 mm ² /s ASTM D 7042
Vapour pressure:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	1,01 g/cm ³ EN ISO 12185

9.2. Other information**Other safety characteristics**

Pour point:	not determined
Viscosity / dynamic:	not determined

Further Information

No information available.

SECTION 10: Stability and reactivity

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 9 of 15

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 53440 mg/kg; ATE (dermal) 45430 mg/kg; ATE (inhalation vapour) 535,4 mg/l; ATE (inhalation dust/mist) 73,01 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine				
	oral	LD50 > 4000 mg/kg	Rat		OECD 401
68608-26-4	Sulfonic acids, petroleum, sodium salts				
	oral	LD50 > 5001 mg/kg	Rat	Echa	OECD Guideline 401
	dermal	LD50 > 5001 mg/kg	Rat	Echa	OECD Guideline 402
141-43-5	2-aminoethanol; ethanolamine				
	oral	LD50 1098 mg/kg	Rat		OECD Guideline 401
	dermal	LD50 2504 mg/kg	Rabbit	IUCLID	OECD Guideline 402
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
3811-73-2	pyridine-2-thiol 1-oxide, sodium salt				
	oral	LD50 1208 mg/kg	Rat	ECHA	
	dermal	LD50 1800-1900 mg/kg	Rabbit	ECHA	
	inhalation vapour	ATE 11 mg/l			
	inhalation (4 h) dust/mist	LC50 1,25 mg/l			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 10 of 15

May damage fertility. May damage the unborn child. (boric acid)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations

Directive (1999/45/EC).

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine					
	Aquatic toxicity	Data lacking				
68608-26-4	Sulfonic acids, petroleum, sodium salts					
	Acute fish toxicity	LC50 > 10000 mg/l	96 h	marine species		
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	freshwater algae		
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna		
141-43-5	2-aminoethanol; ethanolamine					
	Acute fish toxicity	LC50 150 mg/l	96 h	Onchorhynchus mykiss	Echa	
	Acute algae toxicity	ErC50 2,8 mg/l	72 h	Pseudokirchneriella	Echa	OECD 201
	Acute crustacea toxicity	EC50 27,04 mg/l	48 h	Daphnia magna	Echa	OECD 202
3811-73-2	pyridine-2-thiol 1-oxide, sodium salt					
	Acute fish toxicity	LC50 0,0066 mg/l	96 h	Onchorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 0,46 mg/l	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 0,022 mg/l	48 h	Daphnia magna		
	Algae toxicity	NOEC 0,08 mg/l	3 d	Pseudokirchneriella subcapitata		OECD 201

12.2. Persistence and degradability

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 11 of 15

The product has not been tested.

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine				
	OECD guideline 301 A		96%	18	
	readily biodegradable				
	OECD 302B		95%	14	
	inherently biodegradable				
	OECD 306		15%	63	
	not readily biodegradable				
3811-73-2	pyridine-2-thiol 1-oxide, sodium salt				
	OECD 301 B CO2-Evolution		> 70 %	28	
	Biodegradable.				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine	-1,16
68608-26-4	Sulfonic acids, petroleum, sodium salts	22,12
141-43-5	2-aminoethanol; ethanolamine	-1,91 (25°C)
3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	-2,38

BCF

CAS No	Chemical name	BCF	Species	Source
3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	< - 1,09		

12.4. Mobility in soil

in delivery condition: liquid

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

The waste key according to the European Waste Catalogue (EWC number) refers to the real wastes origin and therefore is not product- but use-oriented.

List of Wastes Code - residues/unused products

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 12 of 15

List of Wastes Code - used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: -

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: -

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 75

2010/75/EU (VOC): < 1,0 %

2004/42/EC (VOC): < 1,0 %

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D): 2 - obviously hazardous to water

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 13 of 15

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2,8,9,11,15.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 14 of 15

Abbreviations and acronyms

Repr. - Reproduktionstoxizität
Asp. Tox. - Aspirationstoxizität
Acute Tox. - Akute Toxizität
Aquatic Acute - Akute aquatische Toxizität
Aquatic Chronic - Chronische aquatische Toxizität
Eye Dam. - Augenschaden/-reizung
Eye Irrit. - Augenreizung
Skin Corr. - Ätzwirkung auf die Haut
Skin Irrit. - Hautreizung
Skin Sens. - Hautallergen
Resp. Sens. - Inhalationsallergen
STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition
STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition
VOC - Flüchtige organische Verbindungen
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
Abkürzungen und Akronyme siehe Verzeichnis unter <http://abk.esdscom.eu>
Acute Tox: Acute toxicity
Skin Corr: Skin corrosion
Skin Irrit: Skin irritation



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phantom Multi Cooling Concentrate 90.210

Revision date: 01.01.2023

Product code: 160

Page 15 of 15

Eye Dam: Eye damage
 Eye Irrit: Eye irritation
 Resp. Sens: Respiratory sensitisation
 Skin Sens: Skin sensitisation
 Repr: Reproductive toxicity
 STOT RE: Specific target organ toxicity - repeated exposure
 Aquatic Acute: Acute aquatic hazard
 Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Repr. 1B; H360FD	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H360FD	May damage fertility. May damage the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)